

19. Camhi SL, Alam J, Otterbein L, et al. Induction of heme oxygenase-1 gene expression by lipopolysaccharide is mediated by AP-1 activation. *Am J Respir Cell Mol Biol.* 1995;13:387-98.
20. Liu HL, Zhao JY, Chen L. Changes of carbon monoxide, nitric oxide levels and heme oxygenase system in acute respiratory distress syndrome induced by oleic acid. *Zhonghua Yu Fang Yi Xue Za Zhi.* 2004;38:240-3.
21. Zegdi R, Fabre O, Lila N, et al. Exhaled carbon monoxide and inducible heme oxygenase expression in a rat model of postperfusion acute lung injury. *J Thorac Cardiovasc Surg.* 2003;126:1867-74.
22. Mumby S, Upton RL, Chen Y, et al. Lung heme oxygenase-1 is elevated in acute respiratory distress syndrome. *Crit Care Med.* 2004;32:1130-5.
23. Suttner DM, Sridhar K, Lee CS, et al. Protective effects of transient HO-1 overexpression on susceptibility to oxygen toxicity in lung cells. *Am J Physiol.* 2000;199:276:L443-L51.
24. Otterbein LE, Otterbein SL, Ifedigbo E, et al. MKK3 mitogen-activated protein kinase pathway mediates carbon monoxide-induced protection against oxidant-induced lung injury. *Am J Pathol.* 2003;163:2555-63.
25. Inoue S, Suzuki M, Nagashima Y, et al. Transfer of heme oxygenase 1 cDNA by a replicationdeficient adenovirus enhances interleukin 10 production from alveolar macrophages that attenuates lipopolysaccharide-induced acute lung injury mice. *Hum Gene Ther.* 2001;12:967-79.
26. Otterbein L, Sylvester SL, Choi AM. Hemoglobin provides protection against lethal endotoxemia in rats: the role of heme oxygenase-1. *Am J Respir Cell Mol Biol.* 1995;13:595-601.
27. Otterbein LE, Mantell LL, Choi AMK. Carbon monoxide provides protection against hyperoxic lung injury. *Am J Physiol.* 1999;276:L688-L94.
28. Sarady JK, Otterbein SL, Liu F, et al. Carbon monoxide modulates endotoxin-induced production of granulocyte macrophage colony-stimulating factor in macrophages. *Am J Respir Cell Mol Biol.* 2002;27:739-45.
29. Taylor JL, Carraway MS, Piantadosi CA. Lung-specific induction of heme oxygenase-1 and hyperoxic lung injury. *Am J Physiol.* 1998;274:L582-L90.
30. Minamino T, Christou H, Hsieh CM, et al. Targeted expression of heme oxygenase-1 prevents the pulmonary inflammatory and vascular responses to hypoxia. *Proc Natl Acad Sci U S A.* 2001;98:8798-803.
31. Fujita T, Toda K, Karimova A, et al. Paradoxical rescue from ischemic lung injury by inhaled carbon monoxide driven by depression of fibrinolysis. *Nat Med.* 2001;7:598-604.
32. Dennery PA, Visner G, Weng YH, et al. Resistance to hyperoxia with heme oxygenase-1 disruption: role of iron. *Free Radiac Biol Med.* 2003;34:124-33.
33. Clayton CE, Carraway MS, Suliman HB, et al. Inhaled carbon monoxide on acute lung injury in rats. *Am J Physiol Lung Cell Mol Physiol.* 2001;281:L949-L57.
34. Ghosh S, Wilson MR, Choudhury S, et al. Effects of inhaled carbon monoxide on acute lung injury in mice. *Am J Physiol Lung Cell Mol Physiol.* 2005;288:L1003-L9.
35. Jin Y, Choi AMK. Cytoprotection of heme oxygenase-1/carbon monoxide in lung injury. *Proc Am Thorac Soc.* 2005;2:232-5.
36. Prabhakar NR. Endogenous carbon monoxide in control of respiration. *Respiratory Physiology.* 1998;114:57-64.
37. Paro FM, Steiner AA, De Paula PM, et al. Central heme oxygenase-carbon monoxide pathway in the control of breathing under normoxia and hypoxia. *Respir Physiol Neurobiol.* 2002;130:151-60.
38. Casan P, Miralda RM, Sanchis J. Concentración de carboxihemoglobina (COHb) en una población urbana de pacientes no fumadores. *Arch Bronconeumol.* 1994;30:517-8.

FE DE ERRORES

En el número de agosto de esta revista, en el artículo “Efecto del sulfato de magnesio intravenoso en la exacerbación de la EPOC que precisa hospitalización: estudio aleatorizado controlado por placebo” (*Arch Bronconeumol.* 2006;42:384-7), de Juan Abreu González et al, se han detectado algunos errores:

- En el Resumen, apartado Resultados, línea 8, donde dice “... FEV₁ SM/placebo: 0,185 ± 0,42...”, debe decir “... FEV₁ SM/placebo: 0,18 ± 0,42...”. En el *abstract*, donde dice “...FEV₁ was 0.185 (0.42) L...”, debe decir “FEV₁ was 0.18 (0.42) L...”.
- La misma corrección en español debe realizarse en la página 386, columna derecha, línea 4.
- La tabla 1 incluye algunas cifras incorrectas, por lo que la reproducimos entera con los datos correctos.

TABLA I
Valores del volumen espiratorio forzado en el primer
segundo (FEV₁) de los pacientes que recibieron sulfato
de magnesio (SM) y placebo

	FEV ₁		p
	Día 1	Día 2	
SM	0,86 ± 0,11 l (32,5 ± 3,2%)	0,86 ± 0,86 l (30,3 ± 3,2%)	0,9
Placebo	0,85 ± 0,92 l (28 ± 3,0%)	0,87 ± 0,11 l (30,7 ± 3,3%)	0,8
p	0,4	0,6	

-En la tabla 2, en la columna correspondiente a “Tras salbutamol”, en la segunda línea, donde dice “0,18 ± 0,41”, debe decir “0,18 ± 0,42”.